



**AMENDMENTS TO THE CLAIMS:**


This listing of claims will replace all prior versions, and listing, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A molding composition comprising:
  - I. at least two components selected from the group consisting of aromatic poly(ester) carbonates, graft polymers of one or more vinyl monomers on one or more graft bases having a glass transition temperature of < 10°C, a thermoplastic vinyl (co)polymer or poly(alkylene terephthalate), and
  - II. 0.5 to 25 parts by weight of a mixture of phosphorus compounds represented by the following formulas (I-a) and (I-b) of the general formula (I).




and



wherein independently for each of formulas (I-a) and (I-b)


X denotes a mononuclear or polynuclear aromatic radical with 6 to 30 C atoms,

X<sup>1</sup> and X<sup>2</sup> are each independently represented by the following formula (II).




for which

A' denotes a member selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkylene, C<sub>2</sub>-C<sub>6</sub> alkylidene, C<sub>5</sub>-C<sub>9</sub> cycloalkylidene, -O-, -SO-, -CO-, -S-, -SO<sub>2</sub>-, C<sub>6</sub>-C<sub>12</sub> arylene, each optionally condensed with further aromatic rings optionally containing heteroatoms, and a radical of the formula



or a radical of the formula (IV)



and where

B independently of one another denotes C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>6</sub>-C<sub>10</sub> aryl, C<sub>7</sub>-C<sub>12</sub> aralkyl,

x is in each case independently of one another 0, 1 or 2,

p is 1 or 0, and

R<sup>6</sup> and R<sup>7</sup> for each Z, independently of one another denote hydrogen or C<sub>1</sub>-C<sub>8</sub> alkyl.

Z denotes carbon, and  
m denotes an integer from 4 to 7,  
with the proviso that on at least one atom Z, R<sup>6</sup> and R<sup>7</sup> are  
simultaneously alkyl

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> independently of one another denote optionally  
halogenated C<sub>1</sub>-C<sub>8</sub> alkyl or unsubstituted or substituted C<sub>5</sub>-C<sub>8</sub>  
cycloalkyl, C<sub>6</sub>-C<sub>20</sub> aryl or C<sub>7</sub>-C<sub>12</sub> aralkyl where the substituents  
are selected from at least one of the group consisting of  
halogen and C<sub>1</sub>-C<sub>4</sub> alkyl

n independently of one another denotes 0 or 1,

q denotes 0.5 to 30,

with the proviso that said mixture of phosphorous compounds contains at  
least 2 1 phosphorus compounds of the represented by formula (I-a) and at  
least 1 phosphorous compound represented by formula (I-b), and the  
phosphorous compounds of formulas (I-a) and (I-b) that differ one from the  
other in at least one of their respective X<sup>1</sup>, X<sup>2</sup>, R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> or R<sup>4</sup> groups, and  
wherein the sum of the parts by weight of the components is 100.


2. (Cancelled)

3. (Cancelled)

4. (Currently Amended) The composition of Claim 1 wherein X is X<sup>1</sup> and X<sup>2</sup>  
are each independently derived from a member selected from the group consisting  
of bisphenol A, resorcinol, hydroquinone, dihydroxydiphenyl and dihydroxydiphenyl  
sulfone.

5. (Currently Amended) The composition of Claim 1 wherein the mixture of  
phosphorous compounds contains at least one phosphorus compound according to  
Mo-6660

formula (I-c),



In which Y denotes an isopropylidene radical,  $R^5$  independently denotes  $C_1$ - $C_4$  alkyl or halogen, and k denotes 0, 1 or 2.

6. (Original) The composition according to Claim 1 wherein the graft copolymer is based on at least 2 monomers selected from the group consisting of chloroprene, butadiene-1,3, isoprene, styrene, acrylonitrile, ethylene, propylene, vinyl acetate and (meth)acrylic acid esters with 1 to 18 C atoms in the alcohol component.

7. (Currently Amended) The composition of Claim 6 wherein the graft polymer is based on:

B.1 5 to 95 parts by weight relative to 100 parts of the graft polymer of a mixture of

B.1.1 50 to 99 parts by weight relative to 100 parts of B.1 of at least one member selected from the group consisting of styrene,  $\alpha$ -methylstyrene, halogen-nuclear-substituted and methyl-nuclear-substituted styrenes and methyl methacrylate, and

B.1.2 1 to 50 parts by weight relative to 100 parts of B.1 of at least one member selected from the group consisting of selected from the group consisting of acrylonitrile, methacrylonitrile, methylmethacrylate, maleic anhydride,  $C_1$ - $C_4$  alkyl-substituted maleimide and N-phenyl-substituted maleimide, and

B.2 5 to 95 parts by weight relative to 100 parts of B of polymer based on at least one member selected from the group consisting of diene and alkyl acrylate having a glass transition temperature of below  $-10^{\circ}\text{C}$ .

8. (Original) The composition according to Claim 7, wherein B.2 is a member selected from the group consisting of polybutadiene, polyisoprene, butadiene/styrene copolymer, butadiene/acrylonitrile copolymer and acrylate rubber.

9. (Currently Amended) The composition according to Claims 1 wherein vinyl monomer is at least one member selected from the group consisting of vinyl aromatic compound, vinyl cyanide, (meth)acrylic acid-( $\text{C}_1\text{-C}_8$ )-alkyl ester, unsaturated carboxylic acid, and a derivative of an unsaturated carboxylic acid.

10. (Currently Amended) The composition according to Claim 1 further containing comprising an anti-drip agent.

11. (Currently Amended) A molding composition comprising:

A) 5 to 95 parts by weight relative to 100 parts of the composition of at least one member selected from the group consisting of an aromatic polycarbonate and polyester carbonate,

B) 1 to 60 parts by weight relative to 100 parts of the composition of at least one graft polymer of

B.1 5 to 95 wt.% relative to the weight of B) of one or more vinyl monomers on

B.2 5 to 95 wt.% relative to the weight of B) of one or more graft bases having a glass transition temperature of  $< 10^{\circ}\text{C}$ ,



C) 0 to 50 parts by weight relative to 100 parts of the composition of a member selected from the group consisting of a thermoplastic vinyl (co)polymer and thermoplastic poly(alkylene terephthalate)

D) 0.5 to 25 parts by weight relative to 100 parts of the composition of a


Mo-6660

-6-

mixture of phosphorus compounds of the general formula (I)  
 represented by the following formulas (I-a) and (I-b) of the general  
 formula (I)




and



wherein independently for each of formulas (I-a) and (I-b),


X denotes a mononuclear or polynuclear aromatic radical with 6 to 30 C-atoms,

X<sup>1</sup> and X<sup>2</sup> are each independently represented by the following formula  
(II).




for which

A' denotes a member selected from the group consisting of C<sub>1</sub>-C<sub>5</sub> alkylene, C<sub>2</sub>-C<sub>5</sub> alkylidene, C<sub>5</sub>-C<sub>8</sub> cycloalkylidene, -O-, -SO-, -CO-, -S-, -SO<sub>2</sub>-, C<sub>6</sub>-C<sub>12</sub> arylene, each optionally condensed with further aromatic rings optionally containing heteroatoms, and a radical of the formula



or a radical of the formula (IV)



and where

B independently of one another denotes C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>6</sub>-C<sub>10</sub> aryl, C<sub>7</sub>-C<sub>12</sub> aralkyl,

x is in each case independently of one another 0, 1 or 2,

p is 1 or 0, and

R<sup>6</sup> and R<sup>7</sup> for each Z, independently of one another denote hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl,

Z denotes carbon, and

m denotes an integer from 4 to 7,

with the proviso that on at least one atom Z, R<sup>6</sup> and R<sup>7</sup> are simultaneously alkyl

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> independently of one another denote optionally halogenated C<sub>1</sub>-C<sub>8</sub> alkyl or unsubstituted or substituted C<sub>5</sub>-C<sub>8</sub> cycloalkyl, C<sub>6</sub>-C<sub>20</sub> aryl or C<sub>7</sub>-C<sub>12</sub> aralkyl where the substituents are selected from at least one of the group consisting of

halogen and C<sub>1</sub>-C<sub>4</sub>alkyl

n independently of one another denotes 0 or 1,

q denotes 0.5 to 30, and

E) 0.05 to 5 parts by weight of anti-drip agent,

with the proviso that the mixture of phosphorous compounds composition contains at least 2 1 phosphorus compounds of the represented by formula (I-a) and at least 1 phosphorous compound represented by formula (I-b), and the phosphorous compounds of formulas (I-a) and (I-b) differ one from the other in at least one of their respective in which X<sup>1</sup>, X<sup>2</sup>, or one or more radicals R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> groups in one compound is different from the other, and wherein the sum of the parts by weight is 100.

12. (Original) A method of using the composition of Claim 1 comprising producing a molded article.

13. (Original) A molded article comprising the composition of Claim 1.

14. (Added) The composition of Claim 11 comprising a first phosphorous compound represented by formula (I-a) and a second phosphorous compound represented by formula (I-b), wherein,


for said first phosphorous compound,

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are each phenyl,

n is 1,

q is 1.1, and

X<sup>1</sup> is represented by the following formula,



and


for said second phosphorous compound,

Mo-6660

-9-



$R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are each phenyl,  
 $n$  is 1,  
 $q$  is 1, and  
 $X^2$  is represented by the following formula,



further wherein said composition has a weight ratio of said first phosphorous compound to said second phosphorous compound selected from 1.0 : 1.0, 3.6 : 1.0 and 0.40 : 1.0.

15. (Added) The composition of Claim 11 wherein said composition consists of components A) through E).